Index

American Journal of Audiology: A Journal of Clinical Practice
Index to Volumes 1, 2, and 3, 1991–1994

Author Index	81
Subject Index	85
Title Index	88
Department Index	90

Author Index

Ali, J. E. Audiology in Jamaica and Trinidad and Tobago. November 1992, 8–9.

Allum, J. H. J. Letter to the editor. November 1992, 75.

Anderson, L. G. *See* McCullough et al., March 1994, 19–22.

Anderson, V. M. *See* Johnson & Anderson, March 1994, 37–42.

Aran, J-M. *See* Tyler et al., November 1992, 36–44.

Armson, J. Changes in hearing sensitivity following portable stereo system use. November 1993, 64–67.

Armstrong, T. W. *See* Martin et al., July 1994, 20–26.

Balsara, N. R. *See* Schow et al., November 1993, 28–37.

Barin, K. Clinical posturography. March 1992, 13–14.

Barin, L. J. Observations on audiology in Iran. July 1992, 7–12.

Barry, S. J. Can bone conduction thresholds really be poorer than air? November 1994, 21–22.

Bauch, C. D. *See* Robinette et al., November 1992, 66–72.

Bauch, C. D. Tests of function versus tests of structure. March 1992, 17–18.

Beatty, C. W. *See* Robinette et al., November 1992, 66–72.

Beauchaine, K. L. *See* Gorga et al., November 1992, 11–12.

Beck, D. L. Letter to the editor. March 1994, 93.

Beck, L. B. Credentials. March 1994, 5.

Bentler, R. A. Programmable hearing aid review. November 1991, 25–28.

Bentler, R. A. Satisfaction with noise reduction circuits. March 1993, 51–53.

Berger, K. W. But clients often use less gain than prescribed. July 1993, 17–18.

Bergman, B. M. *See* Gorga et al., November 1992, 11–12.

Bergman, M., & Hildesheimer, M. Forty years of audiology in Israel. November 1994, 11–15.

Berlin, C. I. Past is prologue. July 1992, 5–6.

Berlin, C. I. Past is prologue. November 1992, 5–6.

Berlin, C. I. To be or not to be an audiologist. November 1991, 5.

Berlin, C. I. To be or not to be an audiologist. March 1992, 5–6.

Birck, J. D. *See* McCullough et al., March 1994, 19–22.

Blanks, R. H. I. *See* Fowler et al., November 1993, 44–47.

Burkard, R. The use of maximum length sequences to obtain brainstem auditory evoked responses at rapid rates of stimulation. November 1994, 16–20.

Byrne, D. International Hearing Aid Conference. July 1992, 30–32.

Campbell, K. C. M. Ototoxicity: Current issues. March 1993, 15–16.

Cassie, D. A challenge in Honduras. March 1992, 9–10.

Champlin, C. A. *See* Martin et al., July 1994, 20–26.

Chasin, J. *See* Strand et al., July 1994, 78–79.

Chermak, G. D. Dynamics of collaborative consultation with families. November 1993, 38–43.

Chermak, G. D. *See* Musiek & Chermak, November 1994, 23–27.

Chermak, G. D., & Musiek, F. E. Managing central auditory processing disorders in children and youth. July 1992, 61–65.

Cieliczka, D. Letter to the editor. March 1994, 87.

Citron, D., III. Letter to the editor. March 1994, 91–92.

Clark, J. G. Letter to the editor. November 1993, 70.

Cluff, G. L., Pavlovic, C. V., & Overson, G. J. Development of phonetically balanced phrase lists typical of communication in noisy work environments. March 1993, 54–59.

Collins, M. J. *See* Schum & Collins, November 1992, 56–62.

Compton, C. L. Assistive listening devices: Videotext displays. March 1992, 19–20.

Cone-Wesson, B., & Spingarn, A. Effects of maternal cocaine abuse on neonatal auditory brainstem responses. November 1993, 48–54.

Crandell, C. C., & Smaldino, J. J. Sound field amplification in the classroom setting. November 1992, 14–16.

Cruz, E. Letter to the editor. November 1994, 76.

Dauman, R. *See* Tyler et al., November 1992, 36–44.

Davidson, S. A., & Noe, C. M. Programmable telecoil responses: Potential advantages for assistive listening device fittings. July 1994, 59–64.

Davis, J. M. In praise of civility. March 1992, 7.

DeChicchis, A. R. *See* Sapp & DeChicchis, November 1994, 66–68.

Dempsey, J. J., & Ross, M. Evaluation of hardwire personal assistive listening devices. July 1994, 71–77.

Dennis, J. M. Neurophysiological intraoperative monitoring. July 1992, 44–56.

Diefendorf, A. O. *See* Humes & Diefendorf, July 1993, 7–16.

Diefendorf, A. O. *See* Humes et al., March 1993, 48–50.

Diefendorf, A. *See* Humes & Diefendorf, November 1994, 74–76.

DiSarno, N. J. *See* Rodriguez et al., November 1993, 55–59.

Downs, D. Letter to the editor. July 1994, 79–80.

Downs, M. P. Halfway there! July 1993, 6.

Doyle, T. N. Letter to the editor. March 1993, 6.

Drumheller, G. *See* Strand et al., July 1994, 78–79.

Durrant, J. D. *See* Frank et al., March

1993, 33–37.
Elfenbein, J. L. Coping with communication breakdown: A program of strategy development for children who have hearing losses. July 1992, 25–29.
Elfenbein, J. L. Monitoring preschoolers' hearing aids: Issues in program design and implementation. July 1994, 65–70.
Engelmann, L. Letter to the editor. March 1994, 92–93.
Fabry, D. A. Hearing aid compression. November 1991, 11–13.
Fabry, D. A., & Rose, D. E. In search of a digital toaster. July 1992, 13–15.
Favaro, F. J. Letter to the editor. November 1994, 74.
Fitzgibbon, B. Letter to the editor. July 1992, 67.
Fitzgibbon, B. Letter to the editor. July 1993, 75.
Flory, S. W. Letter to the editor. March 1994, 91.
Fortune, T. W. Automated methods of assessing hearing aid performance in listeners with impaired hearing. July 1994, 14–19.
Fowler, C. G. *See* Humes et al., March 1993, 48–50.
Fowler, C. G., Zizz, C. A., & Blanks, R. H. I. Monocular and binocular testing to improve the diagnostic value of horizontal optokinetic nystagmus. November 1993, 44–47.
Frank, T., Durrant, J. D., & Lovrinic, J. H. Maximum permissible ambient noise levels for audiometric test rooms. March 1993, 33–37.
Frattali, C. M. From quality assurance to total quality management. November 1991, 41–47.
Frazer, G. Letter to the editor. March 1994, 92.
Friel-Patti, S. Letter to the editor. July 1992, 67.
Fryauf-Bertschy, H. Pediatric cochlear implantation: An update. November 1993, 13–16.
Fryauf-Bertschy, H., Kirk, K. I., & Weiss, A. L. Cochlear implant use by a child who is deaf and blind: A case study. March 1993, 38–47.
Glattke, T. J., & Kujawa, S. G. Otoacoustic emissions. November 1991, 29–40.
Goldstein, D. P. Letter to the editor. March 1992, 8.
Gollegly, K. E. *See* Musiek & Gollegly, November 1993, 19–22.
Gollegly, K. M. *See* Musiek et al., November 1991, 19–24.
Gordon-Salant, S. M. *See* Humes et al., March 1993, 48–50.
Gorga, M. P., Beauchaine, K. L., Kaminski, J. R., & Bergman, B. M. Use of tone bursts in ABR evaluations. November 1992, 11–12.
Green, J. D., Jr. *See* Pool et al., March 1994, 55–57.
Gudmundsen, G. Expanding opportunities for audiologists in hearing-care delivery. March 1992, 21.
Gutnick, H. N. Letter to the editor. March 1993, 6.
Hampton, D. Internal marketing for the established audiology practice. July 1992, 57–60.
Hampton, D. Letter to the editor. November 1993, 70.
Hanks, W. D., & Robinette, M. Cost justifications for multifrequency tympanometry. November 1993, 7–10.
Hannley, M. Change is fundamental. November 1992, 7.
Harless, E. L. Letter to the editor. March 1994, 92.
Harner, S. G. *See* Robinette et al., November 1992, 66–72.
Hartenstein, R. W. Letter to the editor. November 1992, 74–75.
Hawkins, D. B. Assessment of hearing aid maximum output. March 1993, 13–14.
Hawkins, D. B., & Schum, D. J. LDL measures: An efficient use of clinic time? November 1991, 8–10.
Healey, J. E. Letter to the editor. March 1994, 87.
Herrmann, B. S. *See* Thornton & Herrmann, November 1991, 14–18.
Hickson, L. M. H. Compression amplification in hearing aids. November 1994, 51–65.
Hildesheimer, M. *See* Bergman & Hildesheimer, November 1994, 11–15.
Hochberg, I. Letter to the editor. July 1993, 76–77.
Holmes, A. E. *See* Rodriguez et al., November 1993, 55–59.
Hood, L. J. Finding our future audiologists. November 1993, 6.
Hoover, K. M. Letter to the editor. March 1994, 89.
Huddleston, R. L., & Mills, M. L. Audiology in Iowa educational settings: A 17-year PSB-ASHA accredited model. November 1992, 19–23.
Humes, L. E., & Diefendorf, A. O. Chaos or order? Some thoughts on the transition to a professional doctorate in audiology. July 1993, 7–16.
Humes, L. E., Diefendorf, A. O., Stelmachowicz, P. G., Fowler, C. G., & Gordon-Salant, S. M. Graduate education in audiology: We agree with the diagnosis, but not the treatment. March 1993, 48–50.
Humes, L. Letter to the editor. July 1993, 77.
Humes, L., & Diefendorf, A. Letter to the editor. November 1994, 74–76.
Hunter, L. L., & Margolis, R. H. Multifrequency tympanometry: Current clinical application. July 1992, 33–43.
Jarrett, A. M. *See* Punch & Jarrett, March 1994, 43–54.
Jarrett, A. M. *See* Punch & Jarrett, November 1994, 79–80.
Jerger, J. Milestones and boundaries. November 1991, 6.
Jerger, J. *See* Kileny et al., March 1992, 11–12.
Jesudas, D. Letter to the editor. July 1992, 66.
Johnson, D. W., & Anderson, V. M. Stability of core audiology procedure fees for 1972–1991 in the Minneapolis–St. Paul metropolitan area. March 1994, 37–42.
Johnson, R. Letter to the editor. March 1994, 88.
Johnson, W. A., & Killion, M. C. Amplification: Is class D better than class B? March 1994, 11–13.
Kalinowski, J. *See* Pugsley et al., November 1993, 64–67.
Kaminski, J. R. *See* Gorga et al., November 1992, 11–12.
Kaplan, H. *See* Rodriguez et al., November 1993, 55–59.
Kasden, S. D. Letter to the editor. July 1992, 67.
Kasden, S. D. Letter to the editor. March 1994, 90.
Kelsay, D. *See* Tye-Murray et al., November 1994, 33–45.
Kileny, P. R. *See* Oviatt & Kileny, November 1991, 48–55.
Kileny, P. R., Shepard, N. T., & Jerger, J. March 1992, 11–12.
Killion, M. C. *See* Johnson & Killion, March 1994, 11–13.
Killion, M. C. The K-Amp hearing aid: An attempt to present high fidelity for persons with impaired hearing. July 1993, 52–74.
King, A. J., & Sininger, Y. S. Electrode configuration for auditory brainstem response audiometry. March 1992, 63–67.
Kirk, K. I. *See* Fryauf-Bertschy et al., March 1993, 38–47.
Knightly, C. A. *See* Marsh & Knightly, November 1992, 63–65.
Koike, K. J. Letter to the editor. November 1994, 73–74.
Kraus, N., & McGee, T. J. Mismatch negativity in the assessment of central auditory function. July 1994, 39–51.
Kujawa, S. G. *See* Glattke & Kujawa, November 1991, 29–40.
Kuk, F. K. Clinical considerations in fitting a multimemory hearing aid. November 1993, 23–27.
Larkin, M. A. Letter to the editor. March 1994, 86–87.
Lass, N. J. *See* Woodford & Lass, July 1994, 8–10.
Laws, D. W., Roller, S. M., & Perry, C. K.

Interaural attenuation of a click stimulus using deep and shallow placement of an insert earphone. November 1993, 60–63.
Lenhardt, M. L. Letter to the editor. March 1993, 6.
Lenz, S. *See* Musiek, et al., November 1991, 19–24.
Lesner, S. A. Letter to the editor. March 1994, 84.
Letien, W. C. Letter to the editor. March 1994, 86.
Lewis, D. E. Assistive devices for classroom listening. March 1994, 58–69.
Lewis, D. E. Assistive devices for classroom listening: FM systems. March 1994, 70–83.
Lilly, D. J., & Purdy, J. K. On the routine use of Tubephone™ insert earphones. March 1993, 17–20.
Lombardo, J. C. Letter to the editor. November 1993, 71.
Lovrinic, J. Looking forward while looking backward. July 1994, 5–6.
Lovrinic, J. H. *See* Frank et al., March 1993, 33–37.
Luebbe-Gearhart, M. L. Letter to the editor. March 1994, 86.
MacDonald, O. *See* Stuart et al., March 1992, 58–62.
Mackersie, C. L., & Stapells, D. R. Auditory brainstem response wave I prediction of conductive component in infants and young children. July 1994, 52–58.
MacLean, G. L., Stuart, A., & Stenstrom, R. Real ear sound pressure levels developed by three portable stereo system earphones. November 1992, 52–55.
MacLean, G. *See* Stuart et al., March 1992, 58–62.
Madell, J. R., & Rose, D. E. Auditory integration training. March 1994, 14–18.
Manning, R. D. Letter to the editor. March 1994, 90–91.
Margolis, R. H. *See* Hunter & Margolis, July 1992, 33–43.
Marincovich, P. J. Letter to the editor. March 1993, 6.
Marlowe, J. A. Screening all newborns for hearing impairment in a community hospital. March 1993, 22–25.
Marsh, R. R., & Knightly, C. A. Auditory brain stem responses recorded with uncushioned earphones. November 1992, 63–65.
Martin, B. A., & Ross, M. The effect of repetition requests on the intensity of talkers' speech. November 1994, 69–72.
Martin, F. N., Armstrong, T. W., & Champlin, C. A. A survey of audiological practices in the United States. July 1994, 20–26.
McCullough, J. A., & Wilson, R. H. Letter to the editor. November 1994, 76–77.
McCullough, J. A., Wilson, R. H., Birck, J. D., & Anderson, L. G. A multimedia approach for estimating speech recognition of multilingual clients. March 1994, 19–22.
McGee, T. J. *See* Kraus & McGee, July 1994, 39–51.
Menzel, O. Letter to the editor. November 1994, 74.
Mills, M. L. *See* Huddleston & Mills, November 1992, 19–23.
Moodie, K. S., Seewald, R. C., & Sinclair, S. T. Procedure for predicting real-ear hearing aid performance in young children. March 1994, 23–31.
Morehouse, C., & Pelc, M. Letter to the editor. November 1994, 78–79.
Musiek, F. E. *See* Chermak & Musiek, July 1992, 61–65.
Musiek, F. E. The peripheral auditory system: Is that all there is? July 1994, 7.
Musiek, F. E., & Chermak, G. D. Three commonly asked questions about central auditory processing disorders: Assessment. November 1994, 23–27.
Musiek, F. E., & Gollegly, K. E. The audiology program at Dartmouth-Hitchcock Medical Center. November 1993, 19–22.
Musiek, F. E., Lenz, S., & Gollegly, K. M. Neuroaudiologic correlates to anatomical changes of the brain. November 1991, 19–24.
Musket, C. H. *See* Roeser et al., July 1992, 19–24.
Muto, R. M. Acoustic neuroma case review: An audiologist's self-portrait. March 1994, 32–36.
Myer, C. M., III. Fluctuating hearing loss in children. March 1992, 25–26.
Noe, C. M. *See* Davidson & Noe, July 1994, 59–64.
Noffsinger, D. Behavioral special tests. November 1993, 17–18.
Noffsinger, D. Standardization of test materials for central auditory assessment. November 1992, 10–11.
Norwood, R. Letter to the editor. March 1994, 90.
Oliveira, R. J., & Rose, D. E. "Keep your wax guard up." March 1994, 7–10.
Olsen, W. O. *See* Robinette et al., November 1992, 66–72.
Otto, S. R. Letter to the editor. July 1994, 79.
Overson, G. J. *See* Cluff et al., March 1993, 54–59.
Oviatt, D. L., & Kileny, P. R. Auditory event-related potentials elicited from cochlear implant recipients and hearing subjects. November 1991, 48–55.
Oyer, H. J., & Wall, L. G. Marie K. Mason: A pioneer in rehabilitative audiology. November 1994, 7–10.
Palmer, C. V. Assistive devices in the audiology practice. March 1992, 37–57.
Palmer, C. V. Computer administration of hearing performance inventories. November 1992, 13–14.
Paul, R. G. *See* Rosenblatt & Paul, March 1993, 7–12.
Paul-Brown, D. Letter to the editor. March 1994, 94.
Pavlovic, C. V. *See* Cluff et al., March 1993, 54–59.
Payne, R. H. Aspects of a private practice. March 1992, 27–32.
Pelc, M. *See* Morehouse & Pelc, November 1994, 78–79.
Perry, C. K. *See* Laws et al., November 1993, 60–63.
Podwall, A. Letter to the editor. November 1994, 79.
Poland, R. M. Letter to the editor. November 1993, 70.
Pool, A. F., & Rose, D. E. Letter to the editor. November 1993, 69.
Pool, A. F., Rose, D. E., & Green, J. D., Jr. Clinical results of the modified canalith repositioning maneuver. March 1994, 55–57.
Preves, D. A. Flexibility in frequency response shaping and signal processing with analog hearing aids. July 1993, 29–40.
Preves, D. A. The K-Amp circuit. March 1992, 15–16.
Pugsley, S., Stuart, A., Kalinowski, J., & Armson, J. Changes in hearing sensitivity following portable stereo system use. November 1993, 64–67.
Punch, J. L., & Jarrett, A. M. Hearing aid licensing statutes and the audiologist. March 1994, 43–54.
Punch, J. L., & Jarrett, A. M. Letter to the editor. November 1994, 79–80.
Purdy, J. K. *See* Lilly & Purdy, March 1993, 17–20.
Regan, J. B. Letter to the editor. July 1992, 66.
Reschly, S. Letter to the editor. March 1994, 88–89.
Revit, L. J. Letter to the editor. November 1993, 68.
Robinette, M. S. Letter to the editor. July 1992, 66.
Robinette, M. S. Otologists and the audiometer: A 70th year report. November 1991, 7.
Robinette, M. S., Bauch, C. D., Olsen, W. O., Harner, S. G., & Beatty, C. W. Use of TEOAE, ABR, and acoustic reflex measures to assess auditory function in patients with acoustic neuroma. November 1992, 66–72.
Robinette, M. *See* Hanks & Robinette, November 1993, 7–10.

Rodriguez, G. P., Holmes, A. E., DiSarno, N. J., & Kaplan, H. Preferred hearing aid response characteristics under acoustic and telecoil coupling conditions. November 1993, 55–59.
Roeser, R. J., & Roland, P. What audiologists must know about cerumen and cerumen management. November 1992, 27–35.
Roeser, R. J., Wilson, P. L., & Musket, C. H. Callier Center for Communication Disorders, University of Texas at Dallas. July 1992, 19–24.
Roland, P. *See* Roeser & Roland, November 1992, 27–35.
Roller, S. M. *See* Laws et al., November 1993, 60–63.
Rose, D. E. Cochlear implants in children with prelingual deafness: Another side of the coin. March 1994, 6.
Rose, D. E. *See* Fabry & Rose, July 1992, 13–15.
Rose, D. E. *See* Madell & Rose, March 1994, 14–18.
Rose, D. E. *See* Oliveira & Rose, March 1994, 7–10.
Rose, D. E. *See* Pool et al., March 1994, 55–57.
Rosenblatt, M. P., & Paul, R. G. Canal hearing aids: For or against. March 1993, 7–12.
Ross, M. Audiology, the ADA, and assistive devices. November 1994, 5.
Ross, M. Letter to the editor. July 1993, 75–76.
Ross, M. Letter to the editor. July 1994, 78.
Ross, M. *See* Dempsey & Ross, July 1994, 71–77.
Ross, M. *See* Martin & Ross, November 1994, 69–72.
Salvi, R. J. 4000 Hz noise damage. March 1993, 21.
Sapp, J. V., & DeChicchis, A. R. The application of an adaptive speech perception procedure to older listeners. November 1994, 66–68.
Schildroth, A. N. Congenital cytomegalovirus and deafness. July 1994, 27–38.
Schildroth, A. N. Letter to the editor. November 1994, 74.
Schmidt, D. J. Letter to the editor. July 1993, 75.
Schmidt, M. P. *See* Stuart et al., March 1992, 58–62.
Schow, R. L., & Smedley, T. C. Letter to the editor. March 1994, 84–86.
Schow, R. L., Balsara, N. R., Smedley, T. C., & Whitcomb, C. J. Aural rehabilitation by ASHA audiologists: 1980–1990. November 1993, 28–37.
Schum, D. J. *See* Hawkins & Schum, November 1991, 8–10.
Schum, D. J. *See* Tye-Murray et al., November 1994, 33–45.
Schum, D. J., & Collins, M. J. Frequency response options for people with low-frequency sensorineural hearing loss. November 1992, 56–62.
Schum, L. *See* Tye-Murray et al., November 1994, 33–45.
Schwartz, D. M. In proper perspective: A response to James F. Jerger. November 1992, 73–74.
Seewald, R. C. *See* Moodie et al., March 1994, 23–31.
Seltz, A. E. Letter to the editor. March 1992, 8.
Senne, A. J. The House Ear Institute and the House Ear Clinic: An overview. November 1994, 28–32.
Sheets, P. L. Letter to the editor. March 1994, 87–88.
Shepard, N. T. *See* Kileny, et al., March 1992, 11–12.
Shepard, N. T., & Telian, S. A. Balance system function. November 1992, 45–51.
Shotland, L. I. Letter to the editor. March 1994, 89.
Sidak, J. A. Letter to the editor. July 1992, 66.
Sinclair, S. T. *See* Moodie et al., March 1994, 23–31.
Sininger, Y. S. Establishing clinical norms for auditory brainstem response. July 1992, 16–18.
Sininger, Y. S. *See* King & Sininger, March 1992, 63–67.
Smaldino, J. J. *See* Crandell & Smaldino, November 1992, 14–16.
Smedley, T. C. Letter to the editor. July 1994, 79.
Smedley, T. C. *See* Schow & Smedley, March 1994, 84–86.
Smedley, T. C. *See* Schow et al., November 1993, 28–37.
Smith, K. E. Letter to the editor. March 1992, 8.
Smith, K. E. Letter to the editor. March 1994, 88.
Spingarn, A. *See* Cone-Wesson & Spingarn, November 1993, 48–54.
Stapells, D. R. Low-frequency hearing and the auditory brainstem response. July 1994, 11–13.
Stapells, D. R. *See* Mackersie & Stapells, July 1994, 52–58.
Stelmachowicz, P. G. Hearing aids in children. March 1992, 22–24.
Stelmachowicz, P. G. *See* Humes et al., March 1993, 48–50.
Stenstrom, R. *See* MacLean et al., November 1992, 52–55.
Stenstrom, R. *See* Stuart et al., March 1992, 58–62.
Stevens, K. N. Letter to the editor. November 1993, 68–69.
Stevens, K. N. Understanding female and male voices on the telephone. November 1992, 17–18.
Strand, K., Chasin, J., Drumheller, G., & Uyenoyama, J. Letter to the editor. July 1994, 78–79.
Stuart, A. *See* MacLean et al., November 1992, 52–55.
Stuart, A. *See* Pugsley et al., November 1993, 64–67.
Stuart, A., Stenstrom, R., MacDonald, O., Schmidt, M. P., & MacLean, G. Probe-tube microphone measures of vent effects with in-the-canal hearing aid shells. March 1992, 58–62.
Stypulkowski, P. H. Fitting strategies for multiple-memory programmable hearing instruments. July 1993, 19–28.
Suter, A. H. Summary report on the Sixth International Congress on Noise as a Public Health Problem. November 1994, 27–31.
Teder, H. Compression in the time domain. July 1993, 41–46.
Teder, H. Letter to the editor. November 1993, 68.
Telian, S. A. *See* Shepard & Telian, November 1992, 45–51.
Thornton, A. Computer-assisted audiometry and technicians in a high-volume practice. November 1993, 11–13.
Thornton, A. Letter to the editor. July 1994, 79.
Thornton, A. One audiologist toø many. July 1993, 5.
Thornton, A. Past is past. March 1993, 5.
Thornton, A. R., & Herrmann, B. S. Massachusetts Eye and Ear Infirmary Audiology Department. November 1991, 14–18.
Thornton, A. The Cheshire profession. November 1993, 5.
Tobey, E. A. Cochlear implants in children with profound hearing loss. November 1994, 6.
Tye-Murray, N. Laser videodisc technology in the aural rehabilitation setting: Good news for people with severe and profound hearing impairments. March 1992, 33–36.
Tye-Murray, N., Witt, S., Schum, L., Kelsay, D., & Schum, D. J. Feasible aural rehabilitation services for busy clinical settings. November 1994, 33–45.
Tyler, R. S. Cochlear implants and the Deaf culture. March 1993, 26–32.
Tyler, R. S. Letter to the editor. November 1993, 69–70.
Tyler, R. S., Aran, J-M., & Dauman, R. Recent advances in tinnitus. November 1992, 36–44.
Uyehara-Isono, J. Letter to the editor. November 1993, 70–71.
Uyenoyama, J. *See* Strand et al., July 1994, 78–79.
Villchur, E. A different approach to the noise problem of the hearing impaired. July 1993, 47–51.
Walker, M. W. Letter to the editor. March

1994, 93.
Wall, L. G. *See* Oyer & Wall, November 1994, 7–10.
Waltzman, S. B. Letter to the editor. November 1994, 77–78.
Weber, B. A. Patient-specific normative values for auditory brain stem response audiometry. November 1992, 24–26.
Weiss, A. L. *See* Fryauf-Bertschy et al., March 1993, 38–47.
Whitcomb, C. J. *See* Schow et al., November 1993, 28–37.
Wilson, P. L. *See* Roeser et al., July 1992, 19–24.
Wilson, R. H. *See* McCullough & Wilson, November 1994, 76–77.
Wilson, R. H. *See* McCullough et al., March 1994, 19–22.
Witt, S. *See* Tye-Murray et al., November 1994, 33–45.
Woodford, C. M., & Lass, N. J. Hearing conservation in hunter education programs. July 1994, 8–10.
Zizz, C. A. *See* Fowler et al., November 1993, 44–47.

Subject Index

Hearing

Nature of Hearing and Its Disorders

Normal Auditory Systems

Otoacoustic emissions. Glattke, T. J., & Kujawa, S. G. November 1991, 29–40.

Auditory and Other Otic Pathologies

Acoustic neuroma case review: An audiologist's self-portrait. Muto, R. M. March 1994, 32–36.
Congenital cytomegalovirus and deafness. Schildroth, A. N. July 1994, 27–38.
Effects of maternal cocaine abuse on neonatal auditory brainstem responses. Cone-Wesson, B., & Spingarn, A. November 1993, 48–54.
Establishing clinical norms for auditory brainstem response. Sininger, Y. S. July 1992, 16–18.
Fluctuating hearing loss in children. Myer, C. M., III. March 1992, 25–26.
Frequency response options for people with low-frequency sensorineural hearing loss. Schum, D. J., & Collins, M. J. November 1992, 56–62.
Monocular and binocular testing to improve the diagnostic value of horizontal optokinetic nystagmus. Fowler, C. G., Zizz, C. A., & Blanks, R. H. I. November 1993, 44–47.
Neuroaudiologic correlates to anatomical changes of the brain. Musiek, F. E., Lenz, S., & Gollegly, K. M. November 1991, 19–24.
Otoacoustic emissions. Glattke, T. J., & Kujawa, S. G. November 1991, 29–40.
Ototoxicity: Current issues. Campbell, K. C. M. March 1993, 15–16.
Three commonly asked questions about central auditory processing disorders: Assessment. Musiek, F. E., & Chermak, G. D. November 1994, 23–27.
What audiologists must know about cerumen and cerumen management. Roeser, R. J., & Roland, P. November 1992, 27–35.

Hearing Loss and Deafness

4000 Hz noise damage. Salvi, R. J. March 1993, 21.
Acoustic neuroma case review: An audiologist's self-portrait. Muto, R. M. March 1994, 32–36.
Auditory brainstem response wave I prediction of conductive component in infants and young children. Mackersie, C. L., & Stapells, D. R. July 1994, 52–58.
Auditory event-related potentials elicited from cochlear implant recipients and hearing subjects. Oviatt, D. L., & Kileny, P. R. November 1991, 48–55.
Cochlear implant use by a child who is deaf and blind: A case study. Fryauf-Bertschy, H., Kirk, K. I., & Weiss, A. L. March 1993, 38–47.
Cochlear implants and the Deaf culture. Tyler, R. S. March 1993, 26–32.
Congenital cytomegalovirus and deafness. Schildroth, A. N. July 1994, 27–38.
Coping with communication breakdown: A program of strategy development for children who have hearing losses. Elfenbein, J. L. July 1992, 25–29.
A different approach to the noise problem of the hearing impaired. Villchur, E. July 1993, 47–51.
Establishing clinical norms for auditory brainstem response. Sininger, Y. S. July 1992, 16–18.
Evaluation of hardwire personal assistive listening devices. Dempsey, J. J., & Ross, M. July 1994, 71–77.
The K-Amp hearing aid: An attempt to present high fidelity for persons with impaired hearing. Killion, M. C. July 1993, 52–74.
LDL measures: An efficient use of clinic time? Hawkins, D. B., & Schum, D. J. November 1991, 8–10.
Massachusetts Eye and Ear Infirmary Audiology Department. Thornton, A. R., & Herrmann, B. S. November 1991, 14–18.
Mismatch negativity in the assessment of central auditory function. Kraus, N., & McGee, T. J. July 1994, 39–51.
Neuroaudiologic correlates to anatomical changes of the brain. Musiek, F. E., Lenz, S., & Gollegly, K. M. November 1991, 19–24.
Neurophysiological intraoperative monitoring. Dennis, J. M. July 1992, 44–56.
Ototoxicity: Current issues. Campbell, K. C. M. March 1993, 15–16.
Pediatric cochlear implantation: An update. Fryauf-Bertschy, H. November 1993, 13–16.
Recent advances in tinnitus. Tyler, R. S., Aran, J-M., & Dauman, R. November 1992, 36–44.
A survey of audiological practices in the United States. Martin, F. N., Armstrong, T. W., & Champlin, C. A. July 1994, 20–26.
Use of tone bursts in ABR evaluations. Gorga, M. P., Beauchaine, K. L., Kaminski, J. R., & Bergman, B. M. November 1992, 11–12.

Effects of Noise and Issues in Hearing Conservation

4000 Hz noise damage. Salvi, R. J. March 1993, 21.
Changes in hearing sensitivity following portable stereo system use. Pugsley, S., Stuart, A., Kalinowski, J., & Armson, J. November 1993, 64–67.
Compression in the time domain. Teder, H. July 1993, 41–46.
Hearing conservation in hunter education programs. Woodford, C. M., & Lass, N. J. July 1994, 8–10.
The K-Amp hearing aid: An attempt to present high fidelity for persons with impaired hearing. Killion, M. C. July 1993, 52–74.
Real ear sound pressure levels developed by three portable stereo system earphones. MacLean, G. L., Stuart, A., & Stenstrom, R. November 1992, 52–55.
Summary report on the Sixth International Congress on Noise as a Public Health Problem. Suter, A. H. November 1994, 27–31.

Normal Balance System

Balance system function. Shepard, N. T., & Telian, S. A. November 1992, 45–51.

Tinnitus

Recent advances in tinnitus. Tyler, R. S., Aran, J-M., & Dauman, R. November 1992, 36–44.

Assessment of Hearing

Psychoacoustics

The K-Amp hearing aid: An attempt to present high fidelity for persons with impaired hearing. Killion, M. C. July 1993, 52–74.
Recent advances in tinnitus. Tyler, R. S., Aran, J-M., & Dauman, R. November 1992, 36–44.

Acoustical Instruments, Measurements, and Standards

Hearing aid compression. Fabry, D. A. November 1991, 11–13.

Interaural attenuation of a click stimulus using deep and shallow placement of an insert earphone. Laws, D. W., Roller, S. M., & Perry, C. K. November 1993, 60–63.

Maximum permissible ambient noise levels for audiometric test rooms. Frank, T., Durrant, J. D., & Lovrinic, J. H. March 1993, 33–37.

Standardization of test materials for central auditory assessment. Noffsinger, D. November 1992, 10–11.

Screening

Auditory brain stem responses recorded with uncushioned earphones. Marsh, R. R., & Knightly, C. A. November 1992, 63–65.

Congenital cytomegalovirus and deafness. Schildroth, A. N. July 1994, 27–38.

Otoacoustic emissions. Glattke, T. J., & Kujawa, S. G. November 1991, 29–40.

Ototoxicity: Current issues. Campbell, K. C. M. March 1993, 15–16.

Screening all newborns for hearing impairment in a community hospital. Marlowe, J. A. March 1993, 22–25.

Diagnostic Audiology—General

Computer-assisted audiometry and technicians in a high-volume practice. Thornton, A. November 1993, 11–13.

Massachusetts Eye and Ear Infirmary Audiology Department. Thornton, A. R., & Herrmann, B. S. November 1991, 14–18.

Ototoxicity: Current issues. Campbell, K. C. M. March 1993, 15–16.

Standardization of test materials for central auditory assessment. Noffsinger, D. November 1992, 10–11.

A survey of audiological practices in the United States. Martin, F. N., Armstrong, T. W., & Champlin, C. A. July 1994, 20–26.

Tests of function versus tests of structure. Bauch, C. D. March 1992, 17–18.

Use of TEOAE, ABR, and acoustic reflex measures to assess auditory function in patients with acoustic neuroma. Robinette, M. S., Bauch, C. D., Olsen, W. O., Harner, S. G., & Beatty, C. W. November 1992, 66–72.

Use of tone bursts in ABR evaluations. Gorga, M. P., Beauchaine, K. L., Kaminski, J. R., & Bergman, B. M. November 1992, 11–12.

Specific Diagnostic Techniques and Approaches

Acoustic neuroma case review: An audiologist's self-portrait. Muto, R. M. March 1994, 32–36.

The application of an adaptive speech perception procedure to older listeners. Sapp, J. V., & DeChicchis, A. R. November 1994, 66–68.

Auditory brainstem response wave I prediction of conductive component in infants and young children. Mackersie, C. L., & Stapells, D. R. July 1994, 52–58.

A multimedia approach for estimating speech recognition of multilingual clients. McCullough, J. A., Wilson, R. H., Birck, J. D., & Anderson, L. G. March 1994, 19–22.

Neuroaudiologic correlates to anatomical changes of the brain. Musiek, F. E., Lenz, S., & Gollegly, K. M. November 1991, 19–24.

Three commonly asked questions about central auditory processing disorders: Assessment. Musiek, F. E., & Chermak, G. D. November 1994, 23–27.

The use of maximum length sequences to obtain brainstem auditory evoked responses at rapid rates of stimulation. Burkard, R. November 1994, 16–20.

Acoustic Immittance

Multifrequency tympanometry: Current clinical application. Hunter, L. L., & Margolis, R. H. July 1992, 33–43.

Behavioral

Neuroaudiologic correlates to anatomical changes of the brain. Musiek, F. E., Lenz, S., & Gollegly, K. M. November 1991, 19–24.

Bone Conduction

Auditory brainstem response wave I prediction of conductive component in infants and young children. Mackersie, C. L., & Stapells, D. R. July 1994, 52–58.

Electrophysiologic

Acoustic neuroma case review: An audiologist's self-portrait. Muto, R. M. March 1994, 32–36.

Auditory brain stem responses recorded with uncushioned earphones. Marsh, R. R., & Knightly, C. A. November 1992, 63–65.

Auditory brainstem response wave I prediction of conductive component in infants and young children. Mackersie, C. L., & Stapells, D. R. July 1994, 52–58.

Auditory event-related potentials elicited from cochlear implant recipients and hearing subjects. Oviatt, D. L., & Kileny, P. R. November 1991, 48–55.

Clinical results of the modified canalith repositioning maneuver. Pool, A. F., Rose, D. E., & Green, J. D., Jr. March 1994, 55–57.

Effects of maternal cocaine abuse on neonatal auditory brainstem responses. Cone-Wesson, B., & Spingarn, A. November 1993, 48–54.

Electrode configuration for auditory brainstem response audiometry. King, A. J., & Sininger, Y. S. March 1992, 63–67.

Establishing clinical norms for auditory brainstem response. Sininger, Y. S. July 1992, 16–18.

Mismatch negativity in the assessment of central auditory function. Kraus, N., & McGee, T. J. July 1994, 39–51.

Monocular and binocular testing to improve the diagnostic value of horizontal optokinetic nystagmus. Fowler, C. G., Zizz, C. A., & Blanks, R. H. I. November 1993, 44–47.

Neuroaudiologic correlates to anatomical changes of the brain. Musiek, F. E., Lenz, S., & Gollegly, K. M. November 1991, 19–24.

Neurophysiological intraoperative monitoring. Dennis, J. M. July 1992, 44–56.

Patient-specific normative values for auditory brain stem response audiometry. Weber, B. A. November 1992, 24–26.

The use of maximum length sequences to obtain brainstem auditory evoked responses at rapid rates of stimulation. Burkard, R. November 1994, 16–20.

Use of tone bursts in ABR evaluations. Gorga, M. P., Beauchaine, K. L., Kaminski, J. R., & Bergman, B. M. November 1992, 11–12.

Pediatric

Auditory brain stem responses recorded with uncushioned earphones. Marsh, R. R., & Knightly, C. A. November 1992, 63–65.

Auditory brainstem response wave I prediction of conductive component in infants and young children. Mackersie, C. L., & Stapells, D. R. July 1994, 52–58.

Congenital cytomegalovirus and deafness. Schildroth, A. N. July 1994, 27–38.

Pediatric cochlear implantation: An update. Fryauf-Bertschy, H. November 1993, 13–16.

Procedure for predicting real-ear hearing aid performance in young children. Moodie, K. S., Seewald, R. C., & Sinclair, S. T. March 1994, 23–31.

Speech

The application of an adaptive speech perception procedure to older listeners. Sapp, J. V., & DeChicchis, A. R. November 1994, 66–68.

Development of phonetically balanced phrase lists typical of communication in noisy work environments. Cluff, G. L., Pavlovic, C. V., & Overson, G. J. March 1993, 54–59.
A multimedia approach for estimating speech recognition of multilingual clients. McCullough, J. A., Wilson, R. H., Birck, J. D., & Anderson, L. G. March 1994, 19–22.

Physiological Measures
Otoacoustic emissions. Glattke, T. J., & Kujawa, S. G. November 1991, 29–40.

Vestibular Testing
Clinical posturography. Barin, K. March 1992, 13–14.

Intervention

Habilitation, Rehabilitation, and Education
Acoustic neuroma case review: An audiologist's self-portrait. Muto, R. M. March 1994, 32–36.
Assistive devices for classroom listening. Lewis, D. E. March 1994, 58–69.
Assistive devices for classroom listening: FM systems. Lewis, D. E. March 1994, 70–83.
Aural rehabilitation by ASHA audiologists: 1980–1990. Schow, R. L., Balsara, N. R., Smedley, T. C., & Whitcomb, C. J. November 1993, 28–37.
Clinical results of the modified canalith repositioning maneuver. Pool, A. F., Rose, D. E., & Green, J. D., Jr. March 1994, 55–57.
Cochlear implants and the Deaf culture. Tyler, R. S. March 1993, 26–32.
Computer administration of hearing performance inventories. Palmer, C. V. November 1992, 13–14.
Congenital cytomegalovirus and deafness. Schildroth, A. N. July 1994, 27–38.
Coping with communication breakdown: A program of strategy development for children who have hearing losses. Elfenbein, J. L. July 1992, 25–29.
Dynamics of collaborative consultation with families. Chermak, G. D. November 1993, 38–43.
The effect of repetition requests on the intensity of talkers' speech. Martin, B. A., & Ross, M. November 1994, 69–72.
Evaluation of hardwire personal assistive listening devices. Dempsey, J. J., & Ross, M. July 1994, 71–77.
Feasible aural rehabilitation services for busy clinical settings. Tye-Murray, N., Witt, S., Schum, L., Kelsay, D., & Schum, D. J. November 1994, 33–45.
Laser videodisc technology in the aural rehabilitation setting: Good news for people with severe and profound hearing impairments. Tye-Murray, N. March 1992, 33–36.
Managing central auditory processing disorders in children and youth. Chermak, G. D., & Musiek, F. E. July 1992, 61–65.
Sound field amplification in the classroom setting. Crandell, C. C., & Smaldino, J. J. November 1992, 14–16.
What audiologists must know about cerumen and cerumen management. Roeser, R. J., & Roland, P. November 1992, 27–35.

Hearing Aids and Other Prostheses
Assessment of hearing aid maximum output. Hawkins, D. B. March 1993, 13–14.
Assistive devices for classroom listening. Lewis, D. E. March 1994, 58–69.
Assistive devices for classroom listening: FM systems. Lewis, D. E. March 1994, 70–83.
Assistive devices in the audiology practice. Palmer, C. V. March 1992, 37–57.
Assistive listening devices: Videotext displays. Compton, C. L. March 1992, 19–20.
Auditory event-related potentials elicited from cochlear implant recipients and hearing subjects. Oviatt, D. L., & Kileny, P. R. November 1991, 48–55.
Aural rehabilitation by ASHA audiologists: 1980–1990. Schow, R. L., Balsara, N. R., Smedley, T. C., & Whitcomb, C. J. November 1993, 28–37.
Automated methods of assessing hearing aid performance in listeners with impaired hearing. Fortune, T. W. July 1994, 14–19.
But clients often use less gain than prescribed. Berger, K. W. July 1993, 17–18.
Cochlear implant use by a child who is deaf and blind: A case study. Fryauf-Bertschy, H., Kirk, K. I., & Weiss, A. L. March 1993, 38–47.
Cochlear implants and the Deaf culture. Tyler, R. S. March 1993, 26–32.
Compression amplification in hearing aids. Hickson, L. M. H. November 1994, 51–65.
Compression in the time domain. Teder, H. July 1993, 41–46.
A different approach to the noise problem of the hearing impaired. Villchur, E. July 1993, 47–51.
Evaluation of hardwire personal assistive listening devices. Dempsey, J. J., & Ross, M. July 1994, 71–77.
Fitting strategies for multiple-memory programmable hearing instruments. Stypulkowski, P. H. July 1993, 19–28.
Flexibility in frequency response shaping and signal processing with analog hearing aids. Preves, D. A. July 1993, 29–40.
Frequency response options for people with low-frequency sensorineural hearing loss. Schum, D. J., & Collins, M. J. November 1992, 56–62.
Hearing aid compression. Fabry, D. A. November 1991, 11–13.
Hearing aids in children. Stelmachowicz, P. G. March 1992, 22–24.
International Hearing Aid Conference. Byrne, D. July 1992, 30–32.
The K-Amp circuit. Preves, D. A. March 1992, 15–16.
The K-Amp hearing aid: An attempt to present high fidelity for persons with impaired hearing. Killion, M. C. July 1993, 52–74.
LDL measures: An efficient use of clinic time? Hawkins, D. B., & Schum, D. J. November 1991, 8–10.
Monitoring preschoolers' hearing aids: Issues in program design and implementation. Elfenbein, J. L. July 1994, 65–70.
Pediatric cochlear implantation: An update. Fryauf-Bertschy, H. November 1993, 13–16.
Preferred hearing aid response characteristics under acoustic and telecoil coupling conditions. Rodriguez, G. P., Holmes, A. E., DiSarno, N. J., & Kaplan, H. November 1993, 55–59.
Probe-tube microphone measures of vent effects with in-the-canal hearing aid shells. Stuart, A., Stenstrom, R., MacDonald, O., Schmidt, M. P., & MacLean, G. March 1992, 58–62.
Procedure for predicting real-ear hearing aid performance in young children. Moodie, K. S., Seewald, R. C., & Sinclair, S. T. March 1994, 23–31.
Programmable hearing aid review. Bentler, R. A. November 1991, 25–28.
Programmable telecoil responses: Potential advantages for assistive listening device fittings. Davidson, S. A., & Noe, C. M. July 1994, 59–64.
Satisfaction with noise reduction circuits. Bentler, R. A. March 1993, 51–53.

Assistive Technology
Assistive listening devices: Videotext displays. Compton, C. L. March 1992, 19–20.

Language

Language Disorders

Aphasia and Other Adult Language Disorders
Three commonly asked questions about central auditory processing disorders: Assessment. Musiek, F. E., & Chermak, G. D. November 1994, 23–27.

Language Disorders in Children

Cochlear implant use by a child who is deaf and blind: A case study. Fryauf-Bertschy, H., Kirk, K. I., & Weiss, A. L. March 1993, 38–47.

Learning Disabilities

Mismatch negativity in the assessment of central auditory function. Kraus, N., & McGee, T. J. July 1994, 39–51.

Three commonly asked questions about central auditory processing disorders: Assessment. Musiek, F. E., & Chermak, G. D. November 1994, 23–27.

Assessment and Intervention

Assessment

Three commonly asked questions about central auditory processing disorders: Assessment. Musiek, F. E., & Chermak, G. D. November 1994, 23–27.

Physiological Measures of Language Function

Mismatch negativity in the assessment of central auditory function. Kraus, N., & McGee, T. J. July 1994, 39–51.

Intervention

Dynamics of collaborative consultation with families. Chermak, G. D. November 1993, 38–43.

Speech

Nature of Normal Speech

Perception of Speech

Cochlear implant use by a child who is deaf and blind: A case study. Fryauf-Bertschy, H., Kirk, K. I., & Weiss, A. L. March 1993, 38–47.

Mismatch negativity in the assessment of central auditory function. Kraus, N., & McGee, T. J. July 1994, 39–51.

Assessment and Intervention

Acoustic Measures of Speech and Voice

Compression in the time domain. Teder, H. July 1993, 41–46.

Intervention

Dynamics of collaborative consultation with families. Chermak, G. D. November 1993, 38–43.

Professional and General Scientific Issues

Professional Affairs

Professional Standards and Ethics

Chaos or order? Some thoughts on the transition to a professional doctorate in audiology. Humes, L. E., & Diefendorf, A. O. July 1993, 7–16.

Cochlear implants and the Deaf culture. Tyler, R. S. March 1993, 26–32.

Governmental and Professional Regulations

Chaos or order? Some thoughts on the transition to a professional doctorate in audiology. Humes, L. E., & Diefendorf, A. O. July 1993, 7–16.

Evaluation of hardwire personal assistive listening devices. Dempsey, J. J., & Ross, M. July 1994, 71–77.

Hearing aid licensing statutes and the audiologist. Punch, J. L., & Jarrett, A. M. March 1994, 43–54.

Service Provision Models and Problems

Callier Center for Communication Disorders, University of Texas at Dallas. Roeser, R. J., Wilson, P. L., & Musket, C. H. July 1992, 19–24.

Cochlear implants and the Deaf culture. Tyler, R. S. March 1993, 26–32.

Computer-assisted audiometry and technicians in a high-volume practice. Thornton, A. November 1993, 11–13.

Dynamics of collaborative consultation with families. Chermak, G. D. November 1993, 38–43.

Massachusetts Eye and Ear Infirmary Audiology Department. Thornton, A. R., & Herrmann, B. S. November 1991, 14–18.

Stability of core audiology procedure fees for 1972–1991 in the Minneapolis–St. Paul metropolitan area. Johnson, D. W., & Anderson, V. M. March 1994, 37–42.

Research Issues and Methodology

Change is fundamental. Hannley, M. November 1992, 7.

Ototoxicity: Current issues. Campbell, K. C. M. March 1993, 15–16.

Standardization of test materials for central auditory assessment. Noffsinger, D. November 1992, 10–11.

Fees

Stability of core audiology procedure fees for 1972–1991 in the Minneapolis–St. Paul metropolitan area. Johnson, D. W., & Anderson, V. M. March 1994, 37–42.

Marketing

Internal marketing for the established audiology practice. Hampton, D. July 1992, 57–60.

Quality Management

From quality assurance to total quality management. Frattali, C. M. November 1991, 41–47.

Third-Party Payment

Stability of core audiology procedure fees for 1972–1991 in the Minneapolis–St. Paul metropolitan area. Johnson, D. W., & Anderson, V. M. March 1994, 37–42.

Professional Training

Education and Continuing Education

Change is fundamental. Hannley, M. November 1992, 7.

Chaos or order? Some thoughts on the transition to a professional doctorate in audiology. Humes, L. E., & Diefendorf, A. O. July 1993, 7–16.

The Cheshire profession. Thornton, A. November 1993, 5.

Graduate education in audiology: We agree with the diagnosis, but not the treatment. Humes, L. E., Diefendorf, A. O., Stelmachowicz, P. G., Fowler, C. G., & Gordon-Salant, S. M. March 1993, 48–50.

Clinical Supervision and Interaction

Massachusetts Eye and Ear Infirmary Audiology Department. Thornton, A. R., & Herrmann, B. S. November 1991, 14–18.

Counseling

Monitoring preschoolers' hearing aids: Issues in program design and implementation. Elfenbein, J. L. July 1994, 65–70.

Title Index

4000 Hz noise damage. Salvi, R. J. March 1993, 21.

Acoustic neuroma case review: An audiologist's self-portrait. Muto, R. M. March 1994, 32–36.

Amplification: Is class D better than class B? Johnson, W. A., & Killion, M. C. March 1994, 11–13.

The application of an adaptive speech perception procedure to older listeners. Sapp, J. V., & DeChicchis, A. R. November 1994, 66–68.

Aspects of a private practice. Payne, R. H. March 1992, 27–32.

Assessment of hearing aid maximum output. Hawkins, D. B. March 1993, 13–14.

Assistive devices for classroom listening. Lewis, D. E. March 1994, 58–69.

Assistive devices for classroom listening: FM systems. Lewis, D. E. March 1994, 70–83.

Assistive devices in the audiology practice. Palmer, C. V. March 1992, 37–57.

Assistive listening devices: Videotext displays. Compton, C. L. March 1992, 19–20.

Audiology in Iowa educational settings: A 17-year PSB-ASHA accredited model. Huddleston, R. L., & Mills, M. L. November 1992, 19–23.
Audiology in Jamaica and Trinidad and Tobago. Ali, J. E. November 1992, 8–9.
The audiology program at Dartmouth-Hitchcock Medical Center. Musiek, F. E., & Gollegly, K. E. November 1993, 19–22.
Audiology, the ADA, and assistive devices. Ross, M. November 1994, 5.
Auditory brain stem responses recorded with uncushioned earphones. Marsh, R. R., & Knightly, C. A. November 1992, 63–65.
Auditory brainstem response wave I prediction of conductive component in infants and young children. Mackersie, C. L., & Stapells, D. R. July 1994, 52–58.
Auditory event-related potentials elicited from cochlear implant recipients and hearing subjects. Oviatt, D. L., & Kileny, P. R. November 1991, 48–55.
Auditory integration training. Madell, J. R., & Rose, D. E. March 1994, 14–18.
Aural rehabilitation by ASHA audiologists: 1980–1990. Schow, R. L., Balsara, N. R., Smedley, T. C., & Whitcomb, C. J. November 1993, 28–37.
Automated methods of assessing hearing aid performance in listeners with impaired hearing. Fortune, T. W. July 1994, 14–19.
Balance system function. Shepard, N. T., & Telian, S. A. November 1992, 45–51.
Behavioral special tests. Noffsinger, D. November 1993, 17–18.
But clients often use less gain than prescribed. Berger, K. W. July 1993, 17–18.
Callier Center for Communication Disorders, University of Texas at Dallas. Roeser, R. J., Wilson, P. L., & Musket, C. H. July 1992, 19–24.
Can bone conduction thresholds really be poorer than air? Barry, S. J. November 1994, 21–22.
Canal hearing aids: For or against. Rosenblatt, M. P., & Paul, R. G. March 1993, 7–12.
A challenge in Honduras. Cassie, D. March 1992, 9–10.
Change is fundamental. Hannley, M. November 1992, 7.
Changes in hearing sensitivity following portable stereo system use. Pugsley, S., Stuart, A., Kalinowski, J., & Armson, J. November 1993, 64–67.
Chaos or order? Some thoughts on the transition to a professional doctorate in audiology. Humes, L. E., & Diefendorf, A. O. July 1993, 7–16.
The Cheshire profession. Thornton, A. November 1993, 5.
Clinical considerations in fitting a multimemory hearing aid. Kuk, F. K. November 1993, 23–27.
Clinical posturography. Barin, K. March 1992, 13–14.
Clinical results of the modified canalith repositioning maneuver. Pool, A. F., Rose, D. E., & Green, J. D., Jr. March 1994, 55–57.
Cochlear implant use by a child who is deaf and blind: A case study. Fryauf-Bertschy, H., Kirk, K. I., & Weiss, A. L. March 1993, 38–47.
Cochlear implants and the Deaf culture. Tyler, R. S. March 1993, 26–32.
Cochlear implants in children with prelingual deafness: Another side of the coin. Rose, D. E. March 1994, 6.
Cochlear implants in children with profound hearing loss. Tobey, E. A. November 1994, 6.
Compression amplification in hearing aids. Hickson, L. M. H. November 1994, 51–65.
Compression in the time domain. Teder, H. July 1993, 41–46.
Computer administration of hearing performance inventories. Palmer, C. V. November 1992, 13–14.
Computer-assisted audiometry and technicians in a high-volume practice. Thornton, A. November 1993, 11–13.
Congenital cytomegalovirus and deafness. Schildroth, A. N. July 1994, 27–38.
Coping with communication breakdown: A program of strategy development for children who have hearing losses. Elfenbein, J. L. July 1992, 25–29.
Cost justifications for multifrequency tympanometry. Hanks, W. D., & Robinette, M. November 1993, 7–10.
Credentials. Beck, L. B. March 1994, 5.
Development of phonetically balanced phrase lists typical of communication in noisy work environments. Cluff, G. L., Pavlovic, C. V., & Overson, G. J. March 1993, 54–59.
A different approach to the noise problem of the hearing impaired. Villchur, E. July 1993, 47–51.
Dynamics of collaborative consultation with families. Chermak, G. D. November 1993, 38–43.
The effect of repetition requests on the intensity of talkers' speech. Martin, B. A., & Ross, M. November 1994, 69–72.
Effects of maternal cocaine abuse on neonatal auditory brainstem responses. Cone-Wesson, B., & Spingarn, A. November 1993, 48–54.
Electrode configuration for auditory brainstem response audiometry. King, A. J., & Sininger, Y. S. March 1992, 63–67.
Establishing clinical norms for auditory brainstem response. Sininger, Y. S. July 1992, 16–18.
Evaluation of hardwire personal assistive listening devices. Dempsey, J. J., & Ross, M. July 1994, 71–77.
Expanding opportunities for audiologists in hearing-care delivery. Gudmundsen, G. March 1992, 21.
Feasible aural rehabilitation services for busy clinical settings. Tye-Murray, N., Witt, S., Schum, L., Kelsay, D., & Schum, D. J. November 1994, 33–45.
Finding our future audiologists. Hood, L. J. November 1993, 6.
Fitting strategies for multiple-memory programmable hearing instruments. Stypulkowski, P. H. July 1993, 19–28.
Flexibility in frequency response shaping and signal processing with analog hearing aids. Preves, D. A. July 1993, 29–40.
Fluctuating hearing loss in children. Myer, C. M., III. March 1992, 25–26.
Forty years of audiology in Israel. Bergman, M., & Hildesheimer, M. November 1994, 11–15.
Frequency response options for people with low-frequency sensorineural hearing loss. Schum, D. J., & Collins, M. J. November 1992, 56–62.
From quality assurance to total quality management. Frattali, C. M. November 1991, 41–47.
Graduate education in audiology: We agree with the diagnosis, but not the treatment. Humes, L. E., Diefendorf, A. O., Stelmachowicz, P. G., Fowler, C. G., & Gordon-Salant, S. M. March 1993, 48–50.
Halfway there! Downs, M. P. July 1993, 6.
Hearing aid compression. Fabry, D. A. November 1991, 11–13.
Hearing aid licensing statutes and the audiologist. Punch, J. L., & Jarrett, A. M. March 1994, 43–54.
Hearing aids in children. Stelmachowicz, P. G. March 1992, 22–24.
Hearing conservation in hunter education programs. Woodford, C. M., & Lass, N. J. July 1994, 8–10.
The House Ear Institute and the House Ear Clinic: An overview. Senne, A. J. November 1994, 28–32.
In praise of civility. Davis, J. M. March 1992, 7.
In proper perspective: A response to James F. Jerger. Schwartz, D. M. November 1992, 73–74.
In search of a digital toaster. Fabry, D. A., & Rose, D. E. July 1992, 13–15.
Interaural attenuation of a click stimulus using deep and shallow placement of

an insert earphone. Laws, D. W., Roller, S. M., & Perry, C. K. November 1993, 60–63.
Internal marketing for the established audiology practice. Hampton, D. July 1992, 57–60.
International Hearing Aid Conference. Byrne, D. July 1992, 30–32.
The K-Amp circuit. Preves, D. A. March 1992, 15–16.
The K-Amp hearing aid: An attempt to present high fidelity for persons with impaired hearing. Killion, M. C. July 1993, 52–74.
"Keep your wax guard up." Oliveira, R. J., & Rose, D. E. March 1994, 7–10.
Laser videodisc technology in the aural rehabilitation setting: Good news for people with severe and profound hearing impairments. Tye-Murray, N. March 1992, 33–36.
LDL measures: An efficient use of clinic time? Hawkins, D. B., & Schum, D. J. November 1991, 8–10.
Looking forward while looking backward. Lovrinic, J. July 1994, 5–6.
Low-frequency hearing and the auditory brainstem response. Stapells, D. R. July 1994, 11–13.
Managing central auditory processing disorders in children and youth. Chermak, G. D., & Musiek, F. E. July 1992, 61–65.
Marie K. Mason: A pioneer in rehabilitative audiology. Oyer, H. J., & Wall, L. G. November 1994, 7–10.
Massachusetts Eye and Ear Infirmary Audiology Department. Thornton, A. R., & Herrmann, B. S. November 1991, 14–18.
Maximum permissible ambient noise levels for audiometric test rooms. Frank, T., Durrant, J. D., & Lovrinic, J. H. March 1993, 33–37.
Milestones and boundaries. Jerger, J. November 1991, 6.
Mismatch negativity in the assessment of central auditory function. Kraus, N., & McGee, T. J. July 1994, 39–51.
Monitoring preschoolers' hearing aids: Issues in program design and implementation. Elfenbein, J. L. July 1994, 65–70.
Monocular and binocular testing to improve the diagnostic value of horizontal optokinetic nystagmus. Fowler, C. G., Zizz, C. A., & Blanks, R. H. I. November 1993, 44–47.
Multifrequency tympanometry: Current clinical application. Hunter, L. L., & Margolis, R. H. July 1992, 33–43.
A multimedia approach for estimating speech recognition of multilingual clients. McCullough, J. A., Wilson, R. H., Birck, J. D., & Anderson, L. G. March 1994, 19–22.
Neuroaudiologic correlates to anatomical changes of the brain. Musiek, F. E., Lenz, S., & Gollegly, K. M. November 1991, 19–24.
Neurophysiological intraoperative monitoring. Dennis, J. M. July 1992, 44–56.
Observations on audiology in Iran. Barin, L. J. July 1992, 7–12.
On the routine use of Tubephone™ insert earphones. Lilly, D. J., & Purdy, J. K. March 1993, 17–20.
One audiologist tøø many. Thornton, A. July 1993, 5.
Otoacoustic emissions. Glattke, T. J., & Kujawa, S. G. November 1991, 29–40.
Otoiogists and the audiometer: A 70th year report. Robinette, M. S. November 1991, 7.
Ototoxicity: Current issues. Campbell, K. C. M. March 1993, 15–16.
Past is past. Thornton, A. March 1993, 5.
Past is prologue. Berlin, C. I. July 1992, 5–6.
Past is prologue. Berlin, C. I. November 1992, 5–6.
Patient-specific normative values for auditory brain stem response audiometry. Weber, B. A. November 1992, 24–26.
Pediatric cochlear implantation: An update. Fryauf-Bertschy, H. November 1993, 13–16.
The peripheral auditory system: Is that all there is? Musiek, F. E. July 1994, 7.
Preferred hearing aid response characteristics under acoustic and telecoil coupling conditions. Rodriguez, G. P., Holmes, A. E., DiSarno, N. J., & Kaplan, H. November 1993, 55–59.
Probe-tube microphone measures of vent effects with in-the-canal hearing aid shells. Stuart, A., Stenstrom, R., MacDonald, O., Schmidt, M. P., & MacLean, G. March 1992, 58–62.
Procedure for predicting real-ear hearing aid performance in young children. Moodie, K. S., Seewald, R. C., & Sinclair, S. T. March 1994, 23–31.
Programmable hearing aid review. Bentler, R. A. November 1991, 25–28.
Programmable telecoil responses: Potential advantages for assistive listening device fittings. Davidson, S. A., & Noe, C. M. July 1994, 59–64.
Real ear sound pressure levels developed by three portable stereo system earphones. MacLean, G. L., Stuart, A., & Stenstrom, R. November 1992, 52–55.
Recent advances in tinnitus. Tyler, R. S., Aran, J-M., & Dauman, R. November 1992, 36–44.
Satisfaction with noise reduction circuits. Bentler, R. A. March 1993, 51–53.
Screening all newborns for hearing impairment in a community hospital. Marlowe, J. A. March 1993, 22–25.
Sound field amplification in the classroom setting. Crandell, C. C., & Smaldino, J. J. November 1992, 14–16.
Stability of core audiology procedure fees for 1972–1991 in the Minneapolis–St. Paul metropolitan area. Johnson, D. W., & Anderson, V. M. March 1994, 37–42.
Standardization of test materials for central auditory assessment. Noffsinger, D. November 1992, 10-11.
Summary report on the Sixth International Congress on Noise as a Public Health Problem. Suter, A. H. November 1994, 27–31.
A survey of audiological practices in the United States. Martin, F. N., Armstrong, T. W., & Champlin, C. A. July 1994, 20–26.
Tests of function versus tests of structure. Bauch, C. D. March 1992, 17–18.
Three commonly asked questions about central auditory processing disorders: Assessment. Musiek, F. E., & Chermak, G. D. November 1994, 23–27.
To be or not to be an audiologist. Berlin, C. I. November 1991, 5.
To be or not to be an audiologist. Berlin, C. I. March 1992, 5–6.
Understanding female and male voices on the telephone. Stevens, K. N. November 1992, 17–18.
The use of maximum length sequences to obtain brainstem auditory evoked responses at rapid rates of stimulation. Burkard, R. November 1994, 16–20.
Use of TEOAE, ABR, and acoustic reflex measures to assess auditory function in patients with acoustic neuroma. Robinette, M. S., Bauch, C. D., Olsen, W. O., Harner, S. G., & Beatty, C. W. November 1992, 66–72.
Use of tone bursts in ABR evaluations. Gorga, M. P., Beauchaine, K. L., Kaminski, J. R., & Bergman, B. M. November 1992, 11–12.
What audiologists must know about cerumen and cerumen management. Roeser, R. J., & Roland, P. November 1992, 27–35.

Department Index

Clinical Focus ■ *Consult*

4000 Hz noise damage. Salvi, R. J. March 1993, 21.
Behavioral special tests. Noffsinger, D. November 1993, 17–18.
Can bone conduction thresholds really be poorer than air? Barry, S. J. November 1994, 21–22.